





# CITYDRIVE

Orthosis shoe. Different.



## CITYDRIVE

Elegance for every occasion.

The CITYDRIVE orthosis shoe is not just new, but also different. It is the result of years of experience, which we gained during the construction of custom-made orthoses. The requirements and demands for an elegant orthosis shoe of people wearing orthoses were the main focus.



A unisex shoe that not only differs from conventional orthosis shoes in its extraordinary design features, but also in its sophisticated style. Elegance for every occasion with CITYDRIVE – the original with the boomerang.













### **CITYDRIVE**

Handmade with compelling details.



#### Light Outsole

The outsole is made of polyurethane (PU), extremely light and durable at the same time. It provides a slip-resistant tread as well.

#### 2 Insoles

The two insoles (5mm each) are removable and serve as volume compensation.













### Order Information

Art. No.	Insole Length
0S4110-36	235mm
0S4110-37	244mm
0S4110-38	249mm
0S4110-39	255mm
0S4110-40	262mm
0S4110-41	270mm
0S4110-42	277mm

Art. No.	Insole Length
OS4110-43	281mm
OS4110-44	289mm
OS4110-45	295mm
OS4110-46	300mm
OS4110-47	307mm
OS4110-48	314mm

Shoe Measu	rements	Use
Pitch*	10mm	h-Cast
Heel Height**	25mm	Orthosis Configurator

- $^{\star}$  The height of the pitch corresponds to the height of the h-cast plate to be used in the physical examination.
- \*\* The heel height is used in the Orthosis Configurator as part of the calculation basis.

Only sold in pairs.