



## **CROSSROADS**

Orthosis shoe. Different.




















# CROSSROADS

## Style and function for everyday life.

The CROSSROADS orthosis shoe is not just new, but different. It is the result of years of experience, which we gained during the construction of custom-made orthoses. The requirements and demands for an orthosis shoe of people wearing orthoses were the main focus.



A unisex shoe that stands out from common orthosis shoes not only because of its extraordinary design features but as well because of its modern style. Casual through everyday life with CROSSROADS — the original with the boomerang.



### CROSSROADS. Comfortable fit with and without orthosis.

CROSSROADS orthosis shoes always guarantee a perfect fit thanks to their special design and the carefully chosen material. The integrated elastic textile material as well as two removable insoles offer a flexible volume. Furthermore, it is possible to create an outsole elevation with an EVA sheet and to re-attach a vibram® flat sole to the shoe. CROSSROADS is available as a pair in four different combinations of the widths REGULAR and SLIM, which makes the fit ideal for any foot – with and without orthosis.



### **Order Information**



REGULAR left and right for normal feet with and without orthosis

Art. No.	
OS4500-36	235mm
OS4500-37	242mm
OS4500-38	249mm
OS4500-39	254mm
OS4500-40	261mm
OS4500-41	268mm
OS4500-42	275mm
OS4500-43	281mm
OS4500-44	287mm
OS4500-45	294mm
OS4500-46	301mm
OS4500-47	307mm
OS4500-48	314mm



37/38	FS9702-3738
39/40	FS9702-3940
41/42	FS9702-4142
43/44	FS9702-4344
45/46	FS9702-4546
47/48	FS9702-4748



SLIM | REGULAR left | right for slender feet with orthosis on the right leg

orthosis on the right leg	
OS8900-36	235mm
OS8900-37	242mm
OS8900-38	249mm
OS8900-39	254mm
OS8900-40	261mm
OS8900-41	268mm
OS8900-42	275mm
OS8900-43	281mm
OS8900-44	287mm
OS8900-45	294mm
OS8900-46	301mm
OS8900-47	307mm
OS8900-48	314mm

#### **EVA Sheet for Outsole Elevation**

	Art. No.
I	PL4500-0S
	Length x Width x Thickness
4	400 x 200 x 20mm



REGULAR | left | right for slender feet with orthosis on the left leg

OS9900-36	235mm
OS9900-37	242mm
OS9900-38	249mm
OS9900-39	254mm
OS9900-40	261mm
OS9900-41	268mm
OS9900-42	275mm
OS9900-43	281mm
OS9900-44	287mm
OS9900-45	294mm
OS9900-46	301mm
OS9900-47	307mm
OS9900-48	314mm



SLIM left and right for slender feet with orthosis without joints

Art. No.	
OS4100-36	235mm
OS4100-37	242mm
OS4100-38	249mm
OS4100-39	254mm
OS4100-40	261mm
OS4100-41	268mm
OS4100-42	275mm
OS4100-43	281mm
OS4100-44	287mm
OS4100-45	294mm
OS4100-46	301mm
OS4100-47	307mm
OS4100-48	314mm

#### Pitch and Heel Height

Shoe Measurements		
pitch*	15mm	h-Cast
heel height**	25mm	Orthosis Configurator

- \* The height of the pitch corresponds to the height of the h-Cast plate to be used in the physical examination.
- \*\* The heel height is used in the Orthosis Configurator as part of the calculation basis.

